ANALYTICA CHIMICA ACTA, VOL. 265 (1992)

AUTHOR INDEX

Asp, T.N., see Pedersen-Bjergaard, S. 87

Baggett, N.
—, Case, M.A., Darby, P.R. and Gray, C.J.
7-Hydroxycoumarin-4-acethydrazide: A fluorescent derivatizing reagent for aldehydes and ketones 111
Barbosa, J.
—, Barrón, D., Bosch, E. and Rosés, M.
Resolution of acid strength in tetrahydrofuran of substituted benzoic acids 157
Barnes, D.E., see Taylor, M.J.C. 71
Barrón, D., see Barbosa, J. 157
Barthel, J.
— and Popp, H.
Methods of the knowledge based system ELDAR for the simulation of electrolyte solution properties 259
Bauerschmidt, S.
—, Hanebeck, W., Schulz, K.-P. and Gasteiger, J.
Elucidation of reactions in the mass spectrometer 169
Bhindi, A.K.
— and Chiswell, B.
Method based on Chelex-100 ion-exchange resin for the removal of chlorine interference in the determination of chlorite ion 117
Biernat, J.F., see Konieczka, P. 127
Blaffert, Th.
"Superatoms" in the interpretation of spectra 243
Böhmer, H.-U., see Roth, B. 301
Bosch, E., see Barbosa, J. 157

Case, M.A., see Baggett, N. 111
Chashchin, V.L., see Turko, I.V. 21
Chen, C.-Y.
—, Gotoh, M., Makino, H., Su, Y.-C., Tamiya, E. and Karube, I.
Amperometric needle-type glucose sensor based on a modified platinum electrode with diminished response to interfering materials 5
Chiswell, B., see Bhindi, A.K. 117

Darby, P.R., see Baggett, N. 111
Daugvilaite, N., see Kulys, J. 15
Dębska, B.
SCANNET: a spectroscopy database 201
Deplanque, R., see Nebel, A. 305
Deplanque, R., see Roth, B. 301
Drapp, B.
—, Gauglitz, G., Ingenhoff, J. and Wolf, B.
Simulation of transversal modal fields in integrated optic components 267

Fiechter, A., see Filippini, C. 63
Filippini, C.
—, Sonnleitner, B. and Fiechter, A.
"Intelligent" analytical subsystems for on-line control and monitoring of bioprocesses 63
Fontain, E.
The problem of atom-to-atom mapping. An application of genetic algorithms 227
Förster, Th., see Lang, E. 277, 283
Fudagawa, N., see Shibata, N. 93

Garcia Mateo, J.V., see Lahuerta Zamora, L. 81
Gasteiger, J., see Bauerschmidt, S. 169
Gasteiger, J., see Sadowski, J. 233
Gauglitz, G., see Drapp, B. 267
Gotoh, M., see Chen, C.-Y. 5
Gray, C.J., see Baggett, N. 111
Greibrokk, T., see Pedersen-Bjergaard, S. 87

Hanebeck, W., see Bauerschmidt, S. 169
Hicks, M.G.
Beilstein Current Facts in Chemistry: a large chemical database on CD-ROM 291

Ingenhoff, J., see Drapp, B. 267

Kaguei, S.
— and Sato, H.
Deconvolution of multicomponent spectra using fuzzy linear programming 55
Karube, I., see Chen, C.-Y. 5
Kateman, G., see Postma, G.J. 133
Kateman, G., see Wienke, D. 211
Katsu, T.
— and Kayamoto, T.
Potentiometric determination of inorganic phosphate using a salicylate-sensitive membrane electrode and an alkaline phosphatase enzyme 1
Kayamoto, T., see Katsu, T. 1
Kirste, B.
Methods for automated analysis and simulation of electron paramagnetic resonance spectra 191
Konieczka, P.
—, Luboch, E., Namieśnik, J. and Biernat, J.F.
Study of a method for the preparation of standard gas mixtures based on thermal decomposition of surface compounds. Application to isothiocyanates 127
Kubota, M., see Shibata, N. 93
Kulys, J.
—, Wang, L. and Daugvilaite, N.

Amperometric methylene green-mediated pyruvate electrode based on pyruvate oxidase entrapped in carbon paste 15

Lahuerta Zamora, L.
—, Garcia Mateo, J.V. and Martinez Calatayud, J.
Entrapment of reagents in polymeric materials. Indirect atomic absorption spectrometric determination of isoniazid by oxidation with manganese dioxide incorporated in polyester resin beads in a flow-injection system 81
Lang, E.
—, Von der Lieth, C.-W. and Förster, Th.
Automatic assignment of bond orders based on the analysis of the internal coordinates of molecular structures 283
—, Von der Lieth, C.-W. and Förster, Th.
Automatic conformation analysis applied on large databases 277
Lepesheva, G.I., see Turko, I.V. 21
Lister, P., see Nebel, A. 305
Luboch, E., see Konieczka, P. 127
Lucasius, C., see Wienke, D. 211

Maass, R., see Nebel, A. 305
Makino, H., see Chen, C.-Y. 5
Marshall, G.D., see Taylor, M.J.C. 71
Martinez-Lozano, C., see Pérez-Ruiz, T. 103
Martinez Calatayud, J., see Lahuerta Zamora, L. 81
Meyer, M.
— and Weigelt, T.
Interpretation of infrared spectra by artificial neural networks 183
Mihajlović, R.
—, Vajgand, V. and Simić, Z.
Coulometric generation of hydrogen ions by anodic oxidation of some organic compounds in nitromethane, sulpholane, acetonitrile and acetic acid–acetic anhydride 35

Namieśnik, J., see Konieczka, P. 127
Nebel, A.
—, Tölle, U., Maass, R., Olbrich, G., Deplanque, R. and Lister, P.
The Integrated Gmelin Information System. New developments in information processing 305

Olbrich, G., see Nebel, A. 305

Pedersen-Bjergaard, S.
—, Asp, T.N. and Greibrokk, T.
Determination of sulphur- and chlorine-containing compounds using capillary gas chromatography and atomic emission detection 87
Pérez-Ruiz, T.
—, Martinez-Lozano, C. and Tomás, V.
Kinetic–spectrofluorimetric determination of nitrite and nitrate at the nanograms per millilitre level by manual and flow-injection methods 103
Popp, H., see Barthel, J. 259
Postma, G.J.
— and Kateman, G.
The quality of analytical information contained within abstracts and papers on new analytical methods 133

Rosés, M., see Barbosa, J. 157
Roth, B.
—, Böhmer, H.-U. and Deplanque, R.
Registration of substances in the Gmelin Factual Database 301
Rudolph, C., see Sadowski, J. 233

Sadowski, J.
—, Rudolph, C. and Gasteiger, J.
The generation of 3D models of host–guest complexes 233
Sato, H., see Kaguei, S. 55
Schulz, K.-P., see Bauerschmidt, S. 169
Scott, D.R.
Pattern recognition/expert system for mass spectra of volatile toxic and other organic compounds 43
Shibata, N.
—, Fudagawa, N. and Kubota, M.
Determination of trace metals in potassium hydrogenphthalate by inductively coupled plasma mass spectrometry 93
Simić, Z., see Mihajlović, R. 35
Sonnleitner, B., see Filippini, C. 63
Su, Y.-C., see Chen, C.-Y. 5

Tamiya, E., see Chen, C.-Y. 5
Taylor, M.J.C.
—, Barnes, D.E. and Marshall, G.D.
Trace gold determination in cyanide process solutions–preconcentration using supported liquid membranes in a flow-injection manifold 71
Tölle, U., see Nebel, A. 305
Tomás, V., see Pérez-Ruiz, T. 103
Turko, I.V.
—, Lepesheva, G.I. and Chashchin, V.L.
Direct antigen detection in Langmuir–Blodgett films of immunoglobulin G modified with coproporphyrin-I 21

Vajgand, V., see Mihajlović, R. 35
Von der Lieth, C.-W., see Lang, E. 277, 283

Wang, C., see Zhang, X. 27
Wang, L., see Kulys, J. 15
Weigelt, T., see Meyer, M. 183
Wienke, D.
—, Lucasius, C. and Kateman, G.
Multicriteria target vector optimization of analytical procedures using a genetic algorithm. Part I. Theory, numerical simulations and application to atomic emission spectroscopy 211
Wolf, B., see Drapp, B. 267

Zhang, X.
—, Wang, C. and Zhou, X.
Voltammetry of dihydroxyphenylalanine (L-DOPA) using a Nafion-coated carbon fibre ultramicroelectrode array 27
Zhou, X., see Zhang, X. 27